

Material Name: PLANIGROUT 712 ID: SAH00131

# \* \* \* Section 1 - Chemical Product and Company Identification \* \* \*

Material Name: PLANIGROUT 712

Product Use Grout

**Manufacturer Information** 

USA and Puerto Rico Canada
MAPEI MAPEI

1144 East Newport Center Drive 2900 Francis-Hughes Avenue Deerfield Beach, FL 33442 Laval, QC H7L 3J5

Phone: 1-954-246-8888 Phone: 1-450-662-1212

IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPLOSION, EXPOSURE OR ACCIDENT, CONTACT THE FOLLOWING NUMBERS:

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-631-996-6666

# \* \* \* Section 2 - Hazards Identification \* \* \*

### **Emergency Overview**

This product has been evaluated using criteria specified in 29CFR 1910.1200 (Hazard Communication Standard). This product is irritating to the eyes, respiratory system and skin. Causes burns to the skin and eyes when mixed with water.

### **Hazard Statements**

CAUTION! IRRITANT. Irritating to eyes, respiratory system and skin. Causes burns to the skin and eyes when mixed with water. Chronic lung disease (silicosis) and/or lung cancer may result from prolonged/repeated breathing of the dust of this material. Wear suitable gloves, eye/face protection, and respiratory protection if needed. Keep out of the reach of children.

### Potential Health Effects: Eyes

This product is irritating to the eyes. Symptoms can include irritation, redness, scratching of the cornea, and tearing. Rubbing may cause abrasion of cornea.

### Potential Health Effects: Skin

This product is irritating to the skin. Mechanical rubbing may increase skin irritation.

### **Potential Health Effects: Ingestion**

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

### **Potential Health Effects: Inhalation**

This product is irritating to the respiratory system. Chronic lung disease (silicosis) and/or lung cancer may result from prolonged/repeated breathing of the dust of this material. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

### **Medical Conditions Aggravated by Exposure**

Hypersensitivity to product, allergies, and skin or respiratory disorders

Material Name: PLANIGROUT 712 ID: SAH00131

### **Potential Environmental Effects**

None identified.

HMIS Ratings: Health: 1\* Fire: 0 Reactivity: 0 Pers. Prot.: Safety glasses, gloves, and N95 respirator if dust exposure

exceeds TLV values

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

# \* \* \* Section 3 - Composition / Information on Ingredients \* \* \*

CAS#	Component	Percent
14808-60-7	Silica Sand	30-60
65997-15-1	Portland cement	30-60
7778-18-9	Calcium sulfate	1-5
69012-64-2	Silicon dioxide	1-5

# \* \* \* Section 4 - First Aid Measures \* \* \*

First Aid: Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

First Aid: Skin

Flush with large amounts of water. If irritation persists, get medical attention.

First Aid: Ingestion

Flush out mouth with water. If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting.

First Aid: Inhalation

Immediately remove the affected person to fresh air. If symptoms persist, get medical attention.

First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

# \* \* \* Section 5 - Fire Fighting Measures \* \* \*

### **General Fire Hazards**

See Section 9 for Flammability Properties.

As with all dry powders, it is advisable to ground mechanical equipment in contact with dry material to dissipate the potential buildup of static electricity.

### **Hazardous Combustion Products**

Irritating and toxic gases or fumes may be released during a fire. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### **Extinguishing Media**

Dry chemical (preferred), foam, water.

### **Unsuitable Extinguishing Media**

None identified.

### Specific Hazards Arising From the Chemical

None identified.

### Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Page 2 of 8 Issue Date: 26 May 2011 Revision: 2.0000 Print Date: 5/26/2011

Material Name: PLANIGROUT 712 ID: SAH00131

## \* \* \* Section 6 - Accidental Release Measures \* \* \*

### **Personal Precautions**

Avoid the generation of dusts during clean-up. Wear appropriate protective equipment and clothing during clean-up.

### **Containment Procedures**

Contain the discharged material.

### **Environmental Precautions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

### **Clean-Up Procedures**

Attempt to reclaim the free product, if this is possible. Shovel the material into waste container. Thoroughly wash the area with water after a spill or leak clean-up. Wear appropriate protective equipment and clothing during clean-up. Keep out of the reach of children.

#### **Evacuation Procedures**

None identified.

### **Special Procedures**

Wear a dust mask if dust is generated above exposure limits.

# \* \* \* Section 7 - Handling and Storage \* \* \*

### **Handling Procedures**

Avoid getting this material into contact with your skin and eyes. Avoid breathing dusts from this material. Wash hands after handling and before eating. Keep out of the reach of children.

### **Storage Procedures**

Store in a cool, dry, well-ventilated area. Keep the container tightly closed.

## \* \* \* Section 8 - Exposure Controls / Personal Protection \* \* \*

### **A: Component Exposure Limits**

### Silica Sand (14808-60-7)

ACGIH:	0.025 mg/m3 TWA (respirable fraction)
OSHA:	0.1 mg/m3 TWA (respirable dust)
NIOSH:	0.05 mg/m3 TWA (respirable dust)
Alberta:	0.025 mg/m3 TWA (respirable particulate)
British Columbia:	ACGIH Category A2 - Suspected Human Carcinogen; IARC Category 1 - Human Carcinogen
	0.025 mg/m3 TWA (respirable)
Manitoba:	0.025 mg/m3 TWA (respirable fraction)
New Brunswick:	0.1 mg/m3 TWA (respirable fraction)
NW Territories:	0.1 mg/m3 TWA (respirable mass); 0.3 mg/m3 TWA (total mass)
Nova Scotia:	0.025 mg/m3 TWA (respirable fraction)
Nunavut:	0.1 mg/m3 TWA (respirable mass); 0.3 mg/m3 TWA (total mass)
Ontario:	0.10 mg/m3 TWA (respirable fraction)
	0.10 mg/m3 TWA (designated substance regulation, respirable)
Quebec:	0.1 mg/m3 TWAEV (respirable dust)
Saskatchewan:	0.05 mg/m3 TWA (respirable fraction, listed under Silica - crystalline)
Yukon:	300 particle/mL TWA (listed under Silica)

Page 3 of 8 Issue Date: 26 May 2011 Revision: 2.0000 Print Date: 5/26/2011

Material Name: PLANIGROUT 712 ID: SAH00131

## Portland cement (65997-15-1)

ACGIH:	1 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)
OSHA:	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
NIOSH:	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Alberta:	10 mg/m3 TWA
British Columbia:	10 mg/m3 TWA (total particulate matter containing no Asbestos and <1% Crystalline silica, total particulate);
	3 mg/m3 TWA (particulate matter containing no Asbestos and <1% Crystalline silica, respirable particulate)
Manitoba:	1 mg/m3 TWA (particulate matter containing no Asbestos and <1% Crystalline silica, respirable fraction)
New Brunswick:	10 mg/m3 TWA (particulate matter containing no asbestos and < 1% crystalline silica)
NW Territories:	5 mg/m3 TWA (respirable mass); 10 mg/m3 TWA (total mass)
Nova Scotia:	1 mg/m3 TWA (respirable fraction, particulate matter containing no Asbestos and <1% Crystalline silica)
Nunavut:	5 mg/m3 TWA (respirable mass); 10 mg/m3 TWA (total mass)
Ontario:	10 mg/m3 TWA (containing no Asbestos and <1% Crystalline silica, total dust)
Quebec:	10 mg/m3 TWAEV (total dust, containing no Asbestos and <1% Crystalline silica); 5 mg/m3 TWAEV
	(respirable dust, containing no Asbestos and <1% Crystalline silica)
Saskatchewan:	20 mg/m3 STEL
	10 mg/m3 TWA
Yukon:	20 mg/m3 STEL
	30 mppcf TWA; 10 mg/m3 TWA

## Calcium sulfate (7778-18-9)

ACGIH:	10 mg/m3 TWA (inhalable fraction)
OSHA:	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
NIOSH:	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Alberta:	10 mg/m3 TWA
British Columbia:	10 mg/m3 TWA (inhalable)
Manitoba:	10 mg/m3 TWA (inhalable fraction)
New Brunswick:	10 mg/m3 TWA (particulate matter containing no asbestos and < 1% crystalline silica)
Nova Scotia:	10 mg/m3 TWA (inhalable fraction)
Ontario:	10 mg/m3 TWA (inhalable)
Quebec:	10 mg/m3 TWAEV (total dust, containing no Asbestos and <1% Crystalline silica); 5 mg/m3 TWAEV
	(respirable dust, containing no Asbestos and <1% Crystalline silica)
Saskatchewan:	20 mg/m3 STEL (listed under Gypsum and Plaster of Paris)
	10 mg/m3 TWA (listed under Gypsum and Plaster of Paris)

### Silicon dioxide (69012-64-2)

British Columbia:	4 mg/m3 TWA (total); 1.5 mg/m3 TWA (respirable)
New Brunswick:	2 mg/m3 TWA (respirable fraction)
Ontario:	2 mg/m3 TWA (fume, respirable)
Quebec:	2 mg/m3 TWAEV (respirable dust, containing no Asbestos and <1% Crystalline silica)
Saskatchewan:	2 mg/m3 TWA (respirable fraction, listed under Silica amorphous)

### **Engineering Controls**

Use general ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

Personal Protective Equipment: Eyes/Face

Wear safety glasses with side shields or goggles.

Personal Protective Equipment: Skin

The use of nitrile-latex gloves is recommended. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves.

Personal Protective Equipment: Respiratory

If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

Material Name: PLANIGROUT 712 ID: SAH00131

### Personal Protective Equipment: General

Launder contaminated clothing before reuse. Use good industrial hygiene practices in handling this material.

## \* \* \* Section 9 - Physical & Chemical Properties \* \* \*

Appearance:	White or gray powder	Odor:	Cement odor
Physical State:	Solid	pH:	Alkaline when wet
Vapor Pressure:	NA	Vapor Density:	NA
Boiling Point:	NA	Melting Point:	NA
Solubility (H2O):	Soluble	Specific Gravity:	2.0 - 2.3
Evaporation Rate:	NA	VOC:	0 g/L
Octanol/H2O Coeff.:	NA	Flash Point:	NA
Flash Point Method:	NA	Upper Flammability Limit (UFL):	NA
Lower Flammability Limit (LFL):	NA	Burning Rate:	NA
Auto Ignition:	NA		

## **Physical Properties: Additional Information**

The data provided in this section is to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

# \* \* \* Section 10 - Chemical Stability & Reactivity Information \* \* \*

## **Chemical Stability**

Stable under normal conditions.

## **Chemical Stability: Conditions to Avoid**

Keep away from heat, ignition sources and incompatible materials.

### Incompatibility

This product may react with strong acids, bases and oxidizing agents.

## **Hazardous Decomposition**

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Upon decomposition, this product may emit fumes of carbon monoxide, carbon dioxide, oxides of nitrogen, and other organic compounds.

## **Possibility of Hazardous Reactions**

Will not occur.

# \* \* \* Section 11 - Toxicological Information \* \* \*

### Acute Dose Effects

#### A: General Product Information

No information available for the product.

### B: Component Analysis - LD50/LC50

Silica Sand (14808-60-7)

Oral LD50 Rat 500 mg/kg

**Calcium sulfate (7778-18-9)** 

Oral LD50 Rat >3000 mg/kg

Page 5 of 8 Issue Date: 26 May 2011 Revision: 2.0000 Print Date: 5/26/2011

Material Name: PLANIGROUT 712 ID: SAH00131

### Carcinogenicity

#### A: General Product Information

Exposure to quartz (the most stable and common form of crystalline silica) is responsible for the majority of clinically diagnosed silicosis. Silicosis is a fibronodular lung disease that occurs after occupational exposure to crystalline silica for 5 years or longer. Inhalation of quartz dusts may cause shortness of breath, limitation of chest expansion, dry cough, and a lessened capacity for work. Individuals with a pre-existing disease in, or a history of ailments involving the skin or respiratory tract, are at a greater risk of developing adverse health effects when exposed to this material. There may be a relationship between silicosis and certain cancers.

### **B: Component Carcinogenicity**

### Silica Sand (14808-60-7)

ACGIH:	A2 - Suspected Human Carcinogen
NIOSH:	potential occupational carcinogen
NTP:	Known Human Carcinogen (Select Carcinogen)
IARC:	Monograph 100C [in preparation] (listed under Crystalline silica inhaled in the form of quartz or cristobalite
	from occupational sources); Monograph 68 [1997] (Group 1 (carcinogenic to humans))

### Portland cement (65997-15-1)

ACGIH:	A4 - Not Classifiable as a Human Carcinogen

### Sensitization

No information available for the product.

# \* \* \* Section 12 - Ecological Information \* \* \*

### **Ecotoxicity**

## **A: General Product Information**

No information available for the product.

### **B: Component Analysis - Ecotoxicity - Aquatic Toxicity**

## Calcium sulfate (7778-18-9)

Test & Species		Conditions
96 Hr LC50 Lepomis macrochirus	2980 mg/L [static]	NA
96 Hr LC50 Pimephales promelas	>1970 mg/L [static]	NA
120 Hr EC50 Nitscheria linearis	3200 mg/L	NA

# \* \* \* Section 13 - Disposal Considerations \* \* \*

### **US EPA Waste Number & Descriptions**

### A: General Product Information

No additional information available.

### **B: Component Waste Numbers**

No EPA Waste Numbers are applicable for this product's components.

### **Disposal Instructions**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

# \* \* \* Section 14 - Transportation Information \* \* \*

### **International Transportation Regulations**

Not regulated as dangerous goods.

Page 6 of 8	Issue Date: 26 May 2011	Revision: 2.0000	Print Date: 5/26/2011

Material Name: PLANIGROUT 712 ID: SAH00131

# \* \* \* Section 15 - Regulatory Information \* \* \*

### **US Federal Regulations**

### A: General Product Information

All of the components of this product are listed on, or are exempted from listing on the U.S. EPA TSCA Inventory of Chemical Substances. All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List unless otherwise noted.

### **B: Component Analysis**

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

### **State Regulations**

### A: General Product Information

Other state regulations may apply. Check individual state requirements.

## **B: Component Analysis - State**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Silica Sand	14808-60-7	No	Yes	Yes	Yes	Yes	Yes
Portland cement	65997-15-1	No	Yes	Yes	Yes	Yes	Yes
Calcium sulfate	7778-18-9	No	Yes	Yes	Yes	Yes	No
Silicon dioxide	69012-64-2	No	Yes	Yes	Yes	No	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains a chemical known to the state of California to cause cancer.

### **Canadian WHMIS Information**

### A: General Product Information



### **B: Component Analysis - WHMIS IDL**

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS#	Minimum Concentration
Silica Sand	14808-60-7	1 %

### **Additional Regulatory Information**

## **A: General Product Information**

Supplier(s) of proprietary component(s) state that these components are contained on the TSCA inventory.

Page 7 of 8 Issue Date: 26 May 2011 Revision: 2.0000 Print Date: 5/26/2011

Material Name: PLANIGROUT 712 ID: SAH00131

### **B: Component Analysis - Inventory**

Component	CAS#	TSCA	CAN	EEC
Silica Sand	14808-60-7	Yes	DSL	EINECS
Portland cement	65997-15-1	Yes	DSL	EINECS
Calcium sulfate	7778-18-9	Yes	DSL	EINECS
Silicon dioxide	69012-64-2	Yes	DSL	EINECS

## \* \* \* Section 16 - Other Information \* \* \*

#### Reference

T1-1947-01

#### Other Information

<u>Disclaimer:</u> Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

### **MSDS History**

2.0000 1.0001

This MSDS has been revised in the following section(s): Section 2 - Hazards Identification Section 3 - Composition / Information on Ingredients Section 4 - First Aid Measures Section 5 - Fire Fighting Measures Section 8 - Exposure Controls / Personal Protection Section 9 - Physical & Chemical Properties Section 15 - Regulatory Information Section 16 - Other Information

#### Key/Legend

ACGIH = American Conference of Governmental Industrial Hygienists; ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail; ADR/RID = European Agreement of Dangerous Goods by Road/Rail; AS = Standards Australia; BLV=Biological Limit Values; CAN = Canadian DSL and NDSL Inventories status; CAS = Chemical Abstracts Service; CC = Closed Cup; CFR = Code of Federal Regulations; DFG = Deutsche Forschungsgemeinschaft; DOT = Department of Transportation; DSL = Domestic Substances List; EEC = European Economic Community; EINECS = European Inventory of Existing Commercial Chemical Substances; ELINCS = European List of Notified Chemical Substances; EPA = Environmental Protection Agency; EU = European Union; g/L = grams per Liter; HMIS = Hazardous Materials Identification System; IARC = International Agency for Research on Cancer; IMO = International Maritime Organization; IATA = International Air Transport Association; MAK = Maximum Concentration Value in the Workplace; mg/kg = milligrams per kilogram; mg/L = milligrams per Liter; mg/m3 = milligrams per Cubic Meter; NA, N/A, S.O. = Not available or Not Applicable; NDSL = Non-Domestic Substances List; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; NJTSR = New Jersey Trade Secret Registry; NOHSC = National Occupational Health & Safety Commission; NTP = National Toxicology Program; OC = Open Cup; OSHA = Occupational Safety and Health Administration; STEL = Short-term Exposure Limit; TDG = Transportation of Dangerous Goods; TLV = Threshold Limit Value; TSCA = Toxic Substances Control Act; TWA = Time Weighted Average; TWAEV = Time Weighted Average Exposure Value; WHMIS = Workplace Hazardous Materials Information System

Contact: Product Safety Specialist Contact Phone: 1-954-246-8888

End of Sheet SAH00131

Page 8 of 8 Issue Date: 26 May 2011 Revision: 2.0000 Print Date: 5/26/2011